

B.E. / B.Tech. - DEGREE EXAMINATIONS, NOV / DEC 2025

Seventh Semester

Mechanical Engineering**20MEPC701 - FINITE ELEMENT ANALYSIS**

Regulations - 2020

Duration: 3 Hours

Max. Marks: 100

PART - A (MCQ) (10 × 1 = 10 Marks)

Answer ALL Questions

	Marks	K- Level	CO
1. Identify the 1dimensional element among the following (a) Bar (b) Beam (c) Truss (d) All of the above	1	K1	CO1
2. The number of shape functions will be equal to the number of (a) Nodes of element (b) Elements of the structure (c) Size of the structure (d) Co ordinates	1	K1	CO1
3. The loading on a element includes (a) Body Force (b) Traction force (c) Point Load (d) All of the Above	1	K1	CO2
4. _____ is defined as a long, slender structural member whose cross - sectional dimensions are relatively smaller than its length. (a) Trusses (b) Bars (c) Beams (d) None of the above	1	K1	CO2
5. Axis-Symmetric element is _____ Element (a) 1D (b) 2D (c) 3D (d) 4D	1	K1	CO3
6. Six noded triangular elements are known as (a) Constant Strain Triangular Elements (b) Linear Strain Triangular Elements (c) Constant Stress Triangular Elements (d) Quadratic strain triangle.	1	K1	CO3
7. In Thermal analysis, the unknown at each node is (a) Temperature (b) Power (c) Heat Sources (d) All of the above	1	K1	CO4
8. When there is reduction in amplitude over every cycle of vibration, motion is said to be _____ (a) undamped vibration (b) decreasing vibration (c) Damped vibration (d) unforced vibration	1	K1	CO4
9. In the FEM element library, what is the other name of a higher- order element? (a) Complex element (b) Simplex element (c) Linear element (d) Nonlinear element	1	K1	CO5
10. In a bilinear iso-parametric quadrilateral element, how many nodes does it have? (a) 4 (b) 8 (c) 9 (d) 16	1	K1	CO6

PART - B (12 × 2 = 24 Marks)

Answer ALL Questions

11. Illustrate the methods generally associated with finite element analysis.	2	K2	CO1
12. Point out any four advantages of the finite element method.	2	K1	CO1
13. Summarize the stiffness matrix properties.	2	K2	CO2
14. Define a natural coordinate system.	2	K1	CO2
15. What is meant by plane stress analysis?	2	K1	CO3
16. Write the displacement function equation for CST element.	2	K1	CO3
17. Differentiate Conduction, Convection and Radiation.	2	K2	CO4
18. Write down the Stiffness Matrix for 1D Heat conduction element.	2	K1	CO4
19. Illustrate the purpose of Isoparametric element.	2	K2	CO5
20. Differentiate between Isoparametric, super parametric and sub - parametric elements.	2	K2	CO5
21. Elaborate about Numerical integration.	2	K2	CO6

22. List out the significance of Jacobian transformation.

2 K1 CO6

PART - C (6 × 11 = 66 Marks)

Answer ALL Questions

23. a) Describe the step by step procedure of solving FEA.

11 K3 CO1

OR


b) Using Rayleigh-Ritz method obtain an approximate solution of the differential equation with boundary conditions $y(0) = 0$ and $y(l) = 0$.

11 K3 CO1

$$\frac{d^2 y}{dx^2} - 10x^2 = 5$$

24. a) For the bar element as shown in the figure. Calculate the nodal displacements and elemental stresses. Take $E = 2.1 \times 10^5 \text{ N/mm}^2$; $P = 400 \text{ kN}$.


11 K3 CO2



OR


b) For the two bar truss shown in the fig, Estimate the displacements of node 1 and the stress in element 1-3. Take $E = 70 \text{ GPa}$, $A = 200 \text{ mm}^2$.

11 K3 CO2



25. a) Calculate the strain displacement matrix for the CST element shown in the figure given below.

11 K3 CO3




OR

b) Develop shape function for axisymmetric triangular elements.


11 K3 CO3

26. a) A wall of 0.6 m thickness having thermal conductivity of 1.2 W/mK. The wall is to be insulated with a material of thickness 0.06 m having an average thermal conductivity of 0.3 W/mK. The inner surface temperature is 1000°C and outside of the insulation is exposed to atmospheric air at 30°C with Heat transfer coefficient of 35 W/m²K. Calculate the nodal temperatures. 11 K3 CO4



OR


- b) Determine the first two natural frequencies of longitudinal vibration of the stepped steel bar shown in fig. All the dimensions are in m $E=30 \times 10^{10}$ N/m². and $\rho = 8500$ kg/m³. 11 K3 CO4



27. a) Develop the shape function for 4 noded isoparametric quadrilateral element. 11 K3 CO5

OR

- b) Evaluate the Jacobian matrix for the isoparametric quadrilateral element shown in the figure. 11 K3 CO5



28. a) Evaluate by applying 3 point Gaussian quadrature.

11 K3 CO6

$$\int_{-1}^1 (x^4 + x^2) dx$$

OR

b) Calculate the Cartesian coordinates of the point P which has local coordinates $\epsilon = 0.8$ and $\eta = 0.6$ as shown in figure.

